X056/301

NATIONAL QUALIFICATIONS 2001 THURSDAY, 17 MAY 9.00 AM - 10.10 AM

MATHEMATICS
HIGHER
Units 1, 2 and 3
Paper 1
(Non-calculator)

Read Carefully

- 1 Calculators may NOT be used in this paper.
- 2 Full credit will be given only where the solution contains appropriate working.
- 3 Answers obtained by readings from scale drawings will not receive any credit.



FORMULAE LIST

Circle:

The equation $x^2 + y^2 + 2gx + 2fy + c = 0$ represents a circle centre (-g, -f) and radius $\sqrt{g^2 + f^2 - c}$. The equation $(x - a)^2 + (y - b)^2 = r^2$ represents a circle centre (a, b) and radius r.

Scalar Product:

 $a.b = |a| |b| \cos \theta$, where θ is the angle between a and b

or
$$\boldsymbol{a}.\boldsymbol{b} = a_1b_1 + a_2b_2 + a_3b_3$$
 where $\boldsymbol{a} = \begin{pmatrix} a_1 \\ a_2 \\ a_3 \end{pmatrix}$ and $\boldsymbol{b} = \begin{pmatrix} b_1 \\ b_2 \\ b_3 \end{pmatrix}$.

Trigonometric formulae:

$$\sin (A \pm B) = \sin A \cos B \pm \cos A \sin B$$

$$\cos (A \pm B) = \cos A \cos B \mp \sin A \sin B$$

$$\sin 2A = 2\sin A \cos A$$

$$\cos 2A = \cos^2 A - \sin^2 A$$

$$= 2\cos^2 A - 1$$

$$= 1 - 2\sin^2 A$$

Table of standard derivatives:

f(x)	f'(x)
sin ax	$a\cos ax$
$\cos ax$	$-a\sin ax$

Table of standard integrals:

f(x)	$\int f(x) dx$
sin ax	$-\frac{1}{a}\cos ax + C$
cosax	$\frac{1}{a}\sin ax + C$

ALL questions should be attempted.

Marks


- 1. Find the equation of the straight line which is parallel to the line with equation 2x + 3y = 5 and which passes through the point (2, -1).
- 3

3

- 2. For what value of k does the equation $x^2 5x + (k + 6) = 0$ have equal roots?
- of a set of T-rods to ensure that straight sections of road are being created. Relative to suitable axes the top left corners of the T-rods are the points A(-8, -10, -2), B(-2, -1, 1) and C(6, 11, 5).

 Determine whether or not the section of road ABC has been


built in a straight line.



3

(b) A further T-rod is placed such that D has coordinates (1, -4, 4).

Show that DB is perpendicular to AB.




4. Given $f(x) = x^2 + 2x - 8$, express f(x) in the form $(x + a)^2 - b$.


2

[Turn over


- 4
- 5. (a) Solve the equation $\sin 2x^{\circ} \cos x^{\circ} = 0$ in the interval $0 \le x \le 180$.



Use your solutions in (a) to write down the coordinates of the point P.



6. A company spends x thousand pounds a year on advertising and this results in a profit of P thousand pounds. A mathematical model, illustrated in the diagram, suggests that P and x are related by $P = 12x^3 - x^4$ for $0 \le x \le 12$. Find the value of x which gives the maximum profit.



- 7. Functions $f(x) = \sin x$, $g(x) = \cos x$ and $h(x) = x + \frac{\pi}{4}$ are defined on a suitable set of real numbers.
 - (a) Find expressions for:
 - (i) f(h(x));
 - (ii) g(h(x)).

2

5


5

- (b) (i) Show that $f(h(x)) = \frac{1}{\sqrt{2}}\sin x + \frac{1}{\sqrt{2}}\cos x$.
 - (ii) Find a similar expression for g(h(x)) and hence solve the equation f(h(x)) g(h(x)) = 1 for $0 \le x \le 2\pi$.
- 8. Find x if $4 \log_x 6 2 \log_x 4 = 1$.

3

9. The diagram shows the graphs of two quadratic functions y = f(x) and y = g(x). Both graphs have a minimum turning point at (3, 2).

Sketch the graph of y = f'(x) and on the same diagram sketch the graph of y = g'(x).




2

10. The diagram shows a sketch of part of the graph of $y = \log_2(x)$.

(a) State the values of a and b.

(b) Sketch the graph of $y = \log_2(x+1) - 3$.



- 11. Circle P has equation $x^2 + y^2 8x 10y + 9 = 0$. Circle Q has centre (-2, -1) and radius $2\sqrt{2}$.
 - (a) (i) Show that the radius of circle P is $4\sqrt{2}$.
 - (ii) Hence show that circles P and Q touch.

4

(b) Find the equation of the tangent to circle Q at the point (-4, 1).

3

(c) The tangent in (b) intersects circle P in two points. Find the x-coordinates of the points of intersection, expressing your answers in the form $a \pm b\sqrt{3}$.

3

[END OF QUESTION PAPER]

[BLANK PAGE]